



ULTRAMATIC EQUIPMENT CO.

Vibratory Finishing Equipment Technology Since 1959



P6 SE Vibratory Tub Machine

Ultrasonic P Series machines started the Cell Concept in Vibratory Deburring. Still manufactured here in the USA we are the oldest family owned manufacturer of vibratory finishing equipment around.

DIRECT DRIVE SERIES features a Heavy Duty Vibratory Motor with easily adjustable weights. This unique design feature eliminates belts and pulleys and supplies 100 % power to the Tub. Requires 50% less HP resulting in huge electrical operation cost savings.



Model P6 SE Vibratory Deburring and Finishing Machine includes direct drive , variable speed and Sound Enclosure

STANDARD FEATURES

UNIQUE OFFSET DRIVE FOR SUPERIOR FINISHING RESULTS
DIRECT DRIVE WITH EASY ADJUSTABLE WEIGHTS
HINGED SOUND COVER
AC VARIABLE SPEED DRIVE W/ DIGITAL DISPLAY
110 VOLT ON-OFF SWITCH & RECEPTACLE W/ CORDED PLUG
FOAM LINED METAL CABINET
COIL SPRING SUSPENSION WITH URETHANE MOUNTS
PAINT: BLACK INDUSTRIAL ENAMEL / TWILIGHT GRAY

CAST POLYURETHANE LINING
MEDIA DISCHARGE DOOR
REMOVABLE DRAIN WITH HOSE
ADJUSTABLE AMPLITUDE
COMPOUND SPRAY PIPING
RECIRCULATION PUMP AND TANK
LUBRICATED FOR LIFE
ONE YEAR WARRANTY



TYPICAL APPLICATIONS

Deburring fabricated aluminum or steel parts
Thread protectors
Deburring aluminum die cast heat sinks
Degreasing automotive starter/alternator housings
Polishing boat propellers

Great for Powder and Ceramic Coaters
Improve surface finish on titanium ball valves
Deburring machined pinion gears and spline shafts
Pre-anodize finish on long extruded aluminum parts
Deburring of bronze water meter housings

VIDEO IS AVAILABLE ON OUR WEBSITE

STANDARD FEATURES



SPECIFICATIONS	
Tub Length Inside after lining	35"
Tub Width Inside after lining	18 1/2"
Total Capacity	6 Cu. Ft.
Load Capacity	1000 Lbs.
Machine Height	34"
Machine Length	43"
Machine Width	33"
Shipping Weight	950 Lbs.
Lining: 90 Durometer	3/4 "
Input Voltage	110/1/60
Drive Unit: 2474 lbs. Force	1800 Rpm
Specifications subject to change	

OPTIONAL EQUIPMENT and SUPPLIES

- 110 VOLT PROCESS TIMER ▪ Includes Timer , Dual Compound receptacles with corded plug.



- TUB DIVIDER ▪ Bolt in Divider allows different parts to be run at one time and prevents parts from contact with each other



- ST15FS Filtration System ▪ Includes Tank with Filtration Bags & Pump.



- Media and Compound Starter Kit for Steel Parts ▪ Includes load of media & 5 Gallon of Compound



- Media and Compound Starter Kit for Aluminum Parts ▪ Includes load of media & 5 Gallon of Compound



- Automatic Premixing Compound System ▪



[SEE OUR P3, P6 AND P10 MODELS](#)

UltraMatic Equipment Co.
848 S. Westgate St.
Addison, IL. 60101
(630) 543-4565
sales@ultramatic-equipment.com